

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : ChimneySaver Paint "N" Peel Fireplace Cleaner

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Stain removal from masonry and fireplace surroundings

**1.3. Details of the supplier of the safety data sheet**SaverSystems, Inc.  
800 S. 7th Street  
Richmond, 47374 - U.S.A.  
T (765) 966-5084**1.4. Emergency telephone number**

Chemtel : 1 (800) 255-3924 24/7

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GHS-US classification**Skin Irrit. 2 H315  
Eye Irrit. 2A H319**2.2. Label elements****GHS-US labelling**

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation  
H319 - Causes serious eye irritationPrecautionary statements (GHS-US) : P264 - Wash hands thoroughly after handling  
P280 - Wear protective clothing, protective gloves, eye protection  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P332+P313 - If skin/eye irritation persists: Get medical advice/attention  
P362 - Remove contaminated clothing and wash before reuse**2.3. Other hazards**

No additional information available

**2.4. Unknown acute toxicity (GHS-US)**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substance**

Not applicable

Full text of H-phrases: see section 16

**3.2. Mixture**

Name	Product identifier	%	GHS-US classification
Polyvinyl butyral resin	(CAS No) 63148-65-2	20 - 30	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Potassium oleate	(CAS No) 143-18-0	< 3	Eye Irrit. 2A, H319
2-Amino-2-methyl-1-propanol	(CAS No) 124-68-5	1 - 3	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412

# ChimneySaver Paint “N” Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. Assure fresh air breathing. Allow the victim to rest. In all cases of doubt, or when symptoms persist, seek medical advice.
First-aid measures after skin contact	: Wipe off excess material and wash exposed skin with mild soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: In the event of insufficient ventilation: In case of repeated or prolonged exposure : Overexposure may be irritating to the respiratory system.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Use media as appropriate for surrounding material . Foam. Dry powder. Carbon dioxide. Water spray.
------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions	: Prevent fire-fighting water from entering environment. Use water spray or fog for cooling exposed containers.
Protective equipment for firefighters	: In case of fire: Wear self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, nitrogen oxides (NOx).

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid skin and eye contact. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.
------------------	--

##### 6.1.1. For non-emergency personnel

Protective equipment	: Use personal protective equipment as required. Use suitable eye protection and gloves. For further information refer to section 8 : Exposure-controls/personal protection.
Emergency procedures	: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Small spills may be rinsed with water. Wipe off as much as possible (using a clean, soft, absorbent material). Large spills: scoop solid spill into closing containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Dispose of contents/container to comply with applicable local, national and international regulations. Ensure all national/local regulations are observed.
-------------------------	---

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# ChimneySaver Paint “N” Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep out of reach of children. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing prior to re-use.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep locked up and out of reach of children. Keep only in the original container in a cool well ventilated place. Store away from freezing (avoid freezing during storage). Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep container closed when not in use.
- Incompatible materials : Strong acids, bases. Oxidizing agents.
- Special rules on packaging : Correctly labelled.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

- Appropriate engineering controls : Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment : Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure. The following pictograms represent the minimum requirements for personal protective equipment.



- Hand protection : Wear protective gloves. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Eye protection : Wear chemical splash goggle.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask.
- Environmental exposure controls : Avoid discharge to the environment.
- Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Viscous liquid. Paste.
- Color : Grey.
- Odor : Slight.
- Odor threshold : No data available
- pH : 9
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : No data available
- Freezing point : < 0 °C (<32 °F)
- Boiling point : > 100 °C (>212 °F)
- Flash point : No data available
- Self ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available

# ChimneySaver Paint "N" Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.018 g/cm <sup>3</sup> (8.5 lb/gal)
Solubility	: Water: Soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable at normal temperatures and pressures.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases. chlorine-based bleaching agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Toxic metal oxide smoke. Nitrogen oxides (NO<sub>x</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-Amino-2-methyl-1-propanol (124-68-5)	
LD50 oral rat	2900 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE (oral)	2900.000 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation. pH: 9
Serious eye damage/irritation	: Causes serious eye irritation. pH: 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

# ChimneySaver Paint "N" Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: In the event of insufficient ventilation: In case of repeated or prolonged exposure : Overexposure may be irritating to the respiratory system.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

2-Amino-2-methyl-1-propanol (124-68-5)	
LC50 fishes 1	190 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	193 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	520 mg/l (Exposure time: 72 h - Species: Desmodemus subspicatus)

### 12.2. Persistence and degradability

ChimneySaver Paint "N" Peel Fireplace Cleaner	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

ChimneySaver Paint "N" Peel Fireplace Cleaner	
Bioaccumulative potential	Not established.

2-Amino-2-methyl-1-propanol (124-68-5)	
BCF fish 1	< 1

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers to flames, sparks, heat, or other potential ignition sources. Do not re-use empty containers. It is the responsibility of the user to determine if disposal material is hazardous according to federal, state and local regulations. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT

No dangerous good in sense of transport regulations

### Additional information

Other information : No supplementary information available.

### ADR

Transport document description :

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Polyvinyl butyral resin (63148-65-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# ChimneySaver Paint "N" Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### Potassium oleate (143-18-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 2-Amino-2-methyl-1-propanol (124-68-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

### CANADA

#### Polyvinyl butyral resin (63148-65-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Potassium oleate (143-18-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

#### 2-Amino-2-methyl-1-propanol (124-68-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Class E - Corrosive Material

### EU-Regulations

#### Potassium oleate (143-18-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

#### 2-Amino-2-methyl-1-propanol (124-68-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No information available

### Classification according to Directive 67/548/EEC or 1999/45/EC

No information available

### 15.2.2. National regulations

#### Polyvinyl butyral resin (63148-65-2)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

#### Potassium oleate (143-18-0)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

#### 2-Amino-2-methyl-1-propanol (124-68-5)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on the Korean ECL (Existing Chemical List) inventory.  
Listed on New Zealand - Inventory of Chemicals (NZIoC)  
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

## 15.3. US State regulations

No additional information available

# ChimneySaver Paint “N” Peel Fireplace Cleaner

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*